



**Southern Electricity Co.**

**شركة كهرباء الجنوب**

**Tender No.  
(SELCO. 05/2015)**

**Electrical Materials**

<b>Sum LOT 1</b>	
<b>Sum LOT 2</b>	
<b>Sum LOT 3</b>	
<b>Discount</b>	
<b>Total After Discount ( NIS )</b>	

**Company.....**

**Signature.....**



**Southern Electricity Co.**

**شركة كهرباء الجنوب**

**The following data shall be filled and submitted with the tender:**

**Tender Number:**.....

**Tender Name:**.....

**Supplier Name:** .....

**Contact Person:** .....

**Address:** .....

**Telephone Number:** .....

**Fax number:** .....

**Mobile Number:** .....

**Email:** .....

**Bid Submission date and time:** .....

**Company**.....

**Signature**.....



**Instructions to Bidders**

- a) The bidder must submit a bank guarantee or certified cheque from local bank equivalent to 5% of the tender total value, valid for 90 days from the date of submission; otherwise, quotation will be rejected.
- b) Prices are in NIS EXcluding VAT.
- c) Payments: Within 30 days from delivery and technical approval.
- d) **Delivery: within (60) days** from the date of accepting and informing the bidder of acceptance of quotation or according to the agreement after awarding the tender.
- e) Fines: 1% of the item price per week of delay and not more than 10% of total bid value.
- f) Prices including all charges up to the warehouses of SELCO.
- g) Bid document price is 500 NIS and will be paid when submitting the offer by the participants.
- h) In case of mistakes in summation, the unit price will be considered.
- i) The bidder shall submit manufacturer catalogs with the tender indicating the catalog number and technical specification for each offered item.
- j) The supplier should submit price offer to all tender items, else will be excluded.
- k) Each lot is indivisible.
- l) The supplier could participate in one or more lot .
- m) Two engineers from SELCo shall inspect Lot1 goods at manufacturer premises, the supplier price shall include all visit costs from travelling, accommodation and all related costs.
- n) Discount at source certificate is required from local suppliers.
- o) Tender document could be obtained from SELCo website or from procurement department.
- p) Monday July, 13th 2015 12:00 pm is the final time of receiving the offers at SELCO headquarter/Procurement department. and in sealed envelopes.
- q) For further information please do not hesitate to contact the procurement department:

Eng. Abdelqadir Qaisieh  
Purchasing Manager  
Tel: 02 2283602/3  
Fax: 02 2283601  
Email: abed@selco.ps  
Website [www.selco.ps](http://www.selco.ps).



**Schedule of Requested Materials – LOT 1**

Item	Description	Unit	Qty	Unit Price (NIS)	Total Price (NIS)
1	600/1000V, ABC 4x25 mm2 Al	Km	2		
2	600/1000V, ABC 4x50+2x25 mm2 Al	Km	30		
3	600/1000V, ABC 4x95+2x25 mm2 Al	Km	42		
4	600/1000V, ABC 4x150+2x25 mm2 Al	Km	2		
5	600/1000V, underground cable 2*6 mm2 Cu	Km	2		
6	600/1000V, underground cable 4*10 mm2 Cu	Km	2		
7	600/1000V, underground cable 4*16 mm2 Cu	Km	4		
8	Stranded Cu PVC covered 95 mm2, green/yellow for earthing	Km	1		
9	Solid copper wire 1.5 mm2	Km	15		
<b>Total</b>					



**Schedule of Requested Materials – LOT 2**

Item	Description	Unit	Qty	Unit Price (NIS)	Total Price (NIS)
1	Switch-Disconnecters 33 kV with load breaking head, 3-phase, complete	Set	30		
2	Two way - Two Position 36KV – 630 Amp. SF6 on-load motorized Disconnecter, complete with control box, operated manually and remotely through a "SCADA" system for remote locations, with Voltage Transformer, charger and batteries. As Fig.(1)	Set	10		
<b>Total</b>					



**Schedule of Requested Materials – LOT 3**

Item	Description	Unit	Qty	Unit Price (NIS)	Total Price (NIS)
1	Stay wire, Nominal area 52 mm <sup>2</sup> , Calculated diameter 8 mm, Rated breaking strength 70 kN	Km	10		
2	Stay wire stranded galvanized, 3mm	Km	40		
3	Lightning Arresters 36kV, set of three phase	Set	70		
4	Outdoor termination kit for 36kV, under-ground cable, single core 1x95mm <sup>2</sup> Al (XLPE/PVC) (Set of 3 phases)	Set	100		
5	Straight joint for 36kV, under-ground cable, single core (35-150)mm <sup>2</sup> Al (XLPE/PVC)	Set	100		
6	MCCB 3X1000A 50KA. With suitable trip coil mx 220-240 VAC and auxiliary contact	Pcs	2		
7	MCCB 3X630A 36KA. With suitable trip coil mx 220-240 VAC and auxiliary contact	Pcs	8		
8	MCCB 3X400A 36KA. With suitable trip coil mx 220-240 VAC and auxiliary contact	Pcs	7		
9	MCCB 3X250A 25KA. With suitable trip coil mx 220-240 VAC and auxiliary contact	Pcs	7		
10	MCCB 3X200A 25KA. With suitable trip coil mx 220-240 VAC and auxiliary contact	Pcs	12		
11	MCCB 3X160A 25KA. With suitable trip coil mx 220-240 VAC and auxiliary contact	Pcs	5		
12	MCCB 3X250A, 25KA	Pcs	20		
13	MCCB 3X160A, 25 KA	Pcs	10		
14	MCCB 3X125, A25 KA	Pcs	10		
15	MCCB 3X40A, 25 KA	Pcs	300		
16	3 phase 3 poles 380 VAC Contactor, 80A	Pcs	55		



17	BBI46 box (350x495x150)mm	Pcs	1200		
18	BBI4 box (250x350x150)mm	Pcs	2000		
19	Insulated self-piercing Tap connectors for ABC (16-95/16-120) mm <sup>2</sup> Al	Pcs	5000		
20	Insulated self-piercing Tap connectors for ABC (4-35/16-95) mm <sup>2</sup> Al	Pcs	5000		
21	ABC Suspension Clamp for 4x150+2X25 mm <sup>2</sup> Al	Pcs	100		
22	ABC Suspension Clamp for 4x95+2X25 mm <sup>2</sup> Al	Pcs	1500		
23	ABC Suspension Clamp for 4x50+2X25 mm <sup>2</sup> Al	Pcs	1500		
24	Tension anchor for ABC cable 4x150 mm <sup>2</sup> Al	Pcs	100		
25	Tension anchor for ABC cable 4x95mm <sup>2</sup> Al	Pcs	1500		
26	Tension anchor for ABC cable 4x50mm <sup>2</sup> Al	Pcs	1500		
27	Compression terminal lug for 150mm <sup>2</sup> conductor, Cu with 13mm hole	Pcs	150		
28	Compression terminal lug for 95mm <sup>2</sup> conductor, Cu with 13mm hole	Pcs	500		
29	Compression terminal lug for 70mm <sup>2</sup> conductor, Cu with Pcs13mm hole	Pcs	200		
30	Compression terminal lug for 35mm <sup>2</sup> conductor, Cu with 13mm hole	Pcs	600		
31	Porcelain Reel Insulator for permanent fences for LV networks	Pcs	5500		
<b>Total</b>					